



Spare parts for:
Ovens



Solenoid valves

- Diaphragms
- Flowrate adjusters
- Coils



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.





Solenoid valves



Suitable for:

3120026 COIL ELBI 24Vac
for solenoid valves 101-102-254-261 old type



Suitable for:

3120034 FEMALE LARGE CONNECTOR
for coils



CHARVET 40100018

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120292 FLOWRATE ADJUSTER \varnothing 1.45 mm
for Convection oven (ZANUSSI)



ALPENINOX 002091
WHIRLPOOL 102091

ELECTROLUX 002091
ZANUSSI 002091

WHIRLPOOL 77198500017

3120021 INLET REDUCER 12 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

3120164 MULLER SOLENOID VALVE 220/240V \varnothing 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet \varnothing 3/4" -dual outlet \varnothing 14 mm



3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

HOBART 324208-1



Solenoid valves



Suitable for:

Suitable for:

3120261 MULLER SOLENOID VALVE 230V ø 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - ø 12 mm outlet



ALPENINOX 0G2196
FRIMA 30020305
MKN 201160
ELECTROLUX 0G2196
JUNO-RÖDER-SENKING 231845
RATIONAL 30020305
ELOMA 754463
MKN 201192
ZANUSSI 0G2196

3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

3120264 MULLER SOLENOID VALVE 230V ø 12 mm
solenoid valve 180° - 220/230V 50/60Hz - max 90°C
3/4" inlet - ø 12 mm n. 3 outlets
with cable length 2000 mm
for Steam oven (RATIONAL)



FRIMA 30020311
RATIONAL 30020311
ROSINOX RX24720054
FRIMA 30020327
RATIONAL 30020327
ROSINOX RX24720179
FRIMA 30020328
RATIONAL 30020328

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145
ELECTROLUX 0L0166
ZANUSSI 0L0166
MBM 172833

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120
MBM 172834

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Solenoid valves



Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Suitable for:

4007017 SOLENOID VALVE CEME 230V 50Hz

588 - connections with hose-end fitting
with coil 5536 13.5VA 230VAC 50Hz
for Convection oven electric (ZANUSSI) AOS061E
AOS101E - AOS201E
for Convection oven gas (ZANUSSI) AOS061G
AOS101G - AOS201G



ALPENINOX 007017
ZANUSSI 007017

ELECTROLUX 007017

ULKA 5536EN2ONAIF

3120537 SOLENOID VALVE MULLER 220/240V ø 10.5 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - two outlets ø 10.5 mm
for Convection oven electric (ANGELO PO) FCV101E
FCV101EDM - FCV101EDS - FCV141E - FCV141EDM
FCV141EDS - FCV241E - FCV241EDM - FCV241EDS
FCV401EDM - FCV61E - FCV61EDM - FCV61EDS
FC101E - FC241E - FC61E
for Convection oven gas (ANGELO PO) FCV101
FCV101DM - FCV101DS - FCV141 - FCV141DS
FCV241G - FCV241GDM - FCV241GDS - FCV401DM
FCV61 - FCV61DM - FCV61DS - FC101 - FC241G



ANGELO PO 33D1710

ANGELO PO 33D2410

3120161 SOLENOID VALVE MULLER 220/240V ø 14 mm

solenoid valve 180°-220/240V 50/60Hz - max 90°C
inlet ø 3/4" - outlet ø 14 mm



3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

3120162 SOLENOID VALVE MULLER 220/240V ø 14 mm

solenoid valve 180°-220/240V 50/60Hz - max 90°C
inlet ø 3/4" - dual outlet ø 14 mm



3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066



Solenoid valves



Suitable for:

3120163 SOLENOID VALVE MULLER 220/240V ø 14 mm
solenoid valve 90°-22/2400V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



HOBART 324207-1

Suitable for:

3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

3120500 SOLENOID VALVE MULLER 230V ø 10.5 mm
solenoid valve 180° - 230V 50Hz - max 65°C
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 3014720

ANGELO PO 3014721

3120263 SOLENOID VALVE MULLER 230V ø 14 mm
solenoid valve 180°-230V 50/60Hz - max 90°C
inlet ø 3/4" - 3 outlets ø 14 mm



3120271 MULLER COIL 220/240V 50/60Hz
temperature 90°C



CONVOTHERM 5001066

3120265 SOLENOID VALVE MULLER 230V 1/2"
solenoid valve 180°-230V 50/60Hz - max 90°C
inlet 1/2" - outlet 1/2"



AMBACH 011811645

AMBACH 5018106152

3120266 SOLENOID VALVE MULLER 230V 3/4"
solenoid valve 180°-230V 50/60Hz - max 90°C
inlet 3/4" - outlet 3/4"



3120364 SOLENOID VALVE PARKER 121KS8358 L48A
with coil 4818653D D5LF 8W 230V 50Hz 2 vie
for Convection oven (ROSINOX) 854222



ROSINOX RX94062347

3120255 SOLENOID VALVE 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - two outlets ø 10 mm
with red flowrate reducer at the outlet
for Convection oven (ZANUSSI)



ALPENINOX 047579
WHIRLPOOL 147579

ELECTROLUX 047579
ZANUSSI 047579

WHIRLPOOL 771985001687



Suitable for:

Solenoid valves



3120128 SOLENOID VALVE 220/240V ø 8 mm
 solen.valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet quick couplings ø 8 mm
 with red pressure adjuster 0.2-0.3 l/min
 for Convection oven (UNOX) - Series BAKERLUX
 Series CHEFLUX



UNOX EL1165A0

3120129 SOLENOID VALVE 220/240V ø 8 mm
 solen.valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet quick couplings ø 8 mm
 with red pressure adjuster 0.2-0.3 l/min
 for Convection oven (UNOX) - Series BAKERLUX
 Series CHEFLUX



UNOX EL1160A0

3120137 SOLENOID VALVE 220/240V ø 8 mm
 solen.valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet quick couplings ø 8 mm
 with red pressure adjuster 0.2-0.3 l/min
 for Convection oven (UNOX) - Series BAKERLUX
 Series CHEFLUX



UNOX EL1155A0

3120363 SOLENOID VALVE 230V ø 10 mm
 solen.valve 180° - 230V 50Hz - max 90°C
 inlet 3/4" - two outlets ø 10 mm
 for Convection oven (RATIONAL)
 since 1/04/04
 Series SCC



FAGOR RT5000138

FRIMA 5000138

RATIONAL 5000138

3120398 SOLENOID VALVE 230V ø 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - two outlets ø 10 mm
 with cable length 2000 mm



FRIMA 30020304

RATIONAL 30020304

ROSINOX RX24720054

3120540 SOLENOID VALVE 230V ø 10 mm
 solen.valve 180° - 230V 6W 50/60Hz - max 90°C
 inlet 3/4" - two outlets ø 10 mm
 for Convection oven electric (BOURGEOIS) CLE201G
 CLE202G - FZM061 - FZM101 - FZM102 - FZ061
 FZ101 - FZ102 - UC1011



BOURGEOIS ROB2000

HOBART ROB2000

5028985 SOLENOID VALVE 230V ø 10 mm
 solenoid valve 180° - 230V 50/60Hz - max 60°C
 inlet 3/4" - outlet ø 10 mm
 for Convection oven (LAINOX) - Series CE
 Series CG - Series ME - Series MG - Series VE
 Series VG



LAINOX R65110200

3120404 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 3/4" inlet - 1 outlet ø 10.5 mm



ALPENINOX 0C0688

ELECTROLUX 0C0688

ROSINOX RX94813749

WHIRLPOOL 202064

WHIRLPOOL 155350

ZANUSSI 056350

ALPENINOX 0C4984

ELECTROLUX 0C4984

THIRODE 634085

WHIRLPOOL 102613

ZANUSSI 0C0688

ALPENINOX 056350

ELECTROLUX 056350

WHIRLPOOL 156350

WHIRLPOOL 147531

ZANUSSI 0C4984



Solenoid valves



Suitable for:

Suitable for:

3120405 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - outlet ø 10.5 mm



- CAPIC L600505
- HMI 634084
- THIRODE 634084
- WHIRLPOOL 481981729329
- WHIRLPOOL 771985008638
- CHARVET 07662A
- INOXTREND C305700
- WHIRLPOOL 155132
- WHIRLPOOL 483286008223
- WHIRLPOOL 147533
- FAGOR Z701135000
- LAINOX R50102860
- WHIRLPOOL 186014
- WHIRLPOOL 483286009934
- WHIRLPOOL 147756

3120406 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 2 outlets ø 10.5 mm



- ALPENINOX 069295
- WHIRLPOOL 169295
- ELECTROLUX 069295
- WHIRLPOOL 155444
- WHIRLPOOL 156872
- ZANUSSI 069295

3120407 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 2 outlets ø 10.5 mm



- AMBASSADE 65042005
- CAPIC L601005
- ROSINOX RX94807480
- WHIRLPOOL 147536
- WHIRLPOOL 145631
- BONNET 3697E
- HMI 634086
- THIRODE 634086
- WHIRLPOOL 169463
- BONNET 1700434
- LAINOX R50102891
- WHIRLPOOL 146427
- WHIRLPOOL 483286000125

3120413 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 3 outlets ø 10.5 mm



- WHIRLPOOL 102712
- WHIRLPOOL 149077
- WHIRLPOOL 771985000189
- WHIRLPOOL 771985004278
- WHIRLPOOL 147539
- WHIRLPOOL 169296
- WHIRLPOOL 771985001663
- WHIRLPOOL 771985005783
- WHIRLPOOL 147540
- WHIRLPOOL 202415
- WHIRLPOOL 771985001664
- WHIRLPOOL 771985011981

3120414 SOLENOID VALVE 230V ø 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 3 outlets ø 10.5 mm



- AMBASSADE 65109013
- GIERRE VAL1000
- WHIRLPOOL 190330
- WHIRLPOOL 153038
- BONNET 3664E
- WHIRLPOOL 156793
- WHIRLPOOL 481981729332
- CAPIC L601015
- WHIRLPOOL 169464
- WHIRLPOOL 147538

3120408 SOLENOID VALVE 230V ø 13.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 1 outlet ø 13.5 mm



- ANGELO PO 33D3280
- JUNO-RÖDER-SENKING
- THIRODE 23458
- WHIRLPOOL 148178
- WHIRLPOOL 771985001657
- WHIRLPOOL 771985004253
- BONNET 23458
- MARENO
- WHIRLPOOL 147529
- WHIRLPOOL 148898
- WHIRLPOOL 771985001804
- GICO
- MORICE DE0290
- WHIRLPOOL 147532
- WHIRLPOOL 169179
- WHIRLPOOL 771985002042

3120409 SOLENOID VALVE 230V ø 13.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 1 outlet ø 13.5 mm



- BONNET 904693
- THIRODE 904693

3120410 SOLENOID VALVE 230V ø 13.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 2 outlets ø 13.5 mm





Suitable for:

Solenoid valves



3120411 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets ø 13.5 mm



WHIRLPOOL 169262

3120415 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 3 outlets ø 13.5 mm



THIRODE 634089

3120416 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 3 outlets ø 13.5 mm



3523088 SOLENOID VALVE 240V ø 11 mm
solenoid valve 180°-240V - 50/60Hz - max 90°C
inlet 3/4" - outlet ø 11 mm
for Convection oven (RATIONAL)
since 1/04/04
Series SCC - Series VCC



FRIMA 5000316

RATIONAL 5000316

3120550 SOLENOID VALVE 240V ø 11.5 mm
solenoid valve 180° - 240V 6W - max 90°C
inlet 3/4" - outlet ø 11.5 mm
for Convection oven electric (RATIONAL)
since 1/01/08
Series CM
for Convection oven gas (RATIONAL)
since 1/01/08
Series CM



ALPENINOX 0C3254
FRIMA 5000139

ELECTROLUX 0C3254
RATIONAL 5000139

FAGOR RT5000139
ZANUSSI 0C3254

3120127 SOLENOID VALVE 253 220/240V ø 13 mm
solenoid valve 180° - 220/240V 50/60Hz - max 60°C
inlet 3/4" - two threaded outlets ø 13 mm
for Convection oven electric (GIERRE) FEV122M
FEV124M - FEV62M - FEV64M
for Convection oven gas (GIERRE) FEV123M - FEV63E
FEV63M



GIERRE VAL110

3120013 SOLENOID VALVE 263 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm



ALPENINOX 047539
ALPENINOX 069296
ELECTROLUX 047539
ELECTROLUX 069296
ZANUSSI 049077

ALPENINOX 047540
BONNET 914135
ELECTROLUX 047540
JUNO-RÖDER-SENKING 02712
ZANUSSI 069296

ALPENINOX 049077
COVEN EMUA3C04
ELECTROLUX 049077
ZANUSSI 047540
ZANUSSI 047539

3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



Suitable for:

3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Solenoid valves



Suitable for:

3120166 SOLENOID VALVE 263A 220/240V ø 14 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 14 mm



CONVOTHERM 5001062

WHIRLPOOL 752132

WHIRLPOOL 771985009089

3120014 SOLENOID VALVE 264 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm



ALPENINOX 0E0330

CAPIC L601015

ELECTROLUX 069464

FAGOR P443018000

FAGOR Z611123000

MBM RTFOC00520

WHIRLPOOL 771985004337

WHIRLPOOL 483286008703

ZANUSSI 0E0330

ALPENINOX 047538

CONVOTHERM 5011000

ELECTROLUX 0E0330

FAGOR P443073000

FRIMA 30020315

MODULAR 462.004.00

WHIRLPOOL 771985008631

ZANUSSI 047538

ALPENINOX 069464

ELECTROLUX 047538

EMMEPI 902410

FAGOR Z611101000

INOXTREND C2088-00

RATIONAL 30020315

WHIRLPOOL 483286001413

ZANUSSI 069464

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410



Suitable for:

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120167 SOLENOID VALVE 264A 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets ø 14 mm



EMMEPI E00010011

WHIRLPOOL 483286008635

Solenoid valves



Suitable for:

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120545 SOLENOID VALVE 3 VIE 240V 8W
BURKERT 00158245
for pipe ø 10 mm
for Convection oven (BONNET) EQ3.201/1ECE



BONNET 314356



Solenoid valves



Suitable for:

Suitable for:

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ALPENINOX 0A2064
ALPENINOX 047531
ANGELO PO 33D1370
ELECTROLUX 0A2064
ERRE 2 63943410240
JUNO-RÖDER-SENKING 02613
SOGECO ELETTROVALV.001
ZANUSSI 047531
ZANUSSI 0KM766

ALPENINOX 0KM766
ALPENINOX 055350
BARON 826630220
EMMEPI 8C0206
GICO 53943410240
MARENO 1037308800
WHIRLPOOL 481928128225
ZANUSSI 055350

ALPENINOX 002613
ANGELO PO 33D1371
COVEN EMUASRPE
ERRE 2 53943410240
GICO 63943410240
ROSINOX RX94805520
ZANUSSI 002613
ZANUSSI 0A2064

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833



Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120504 SOLENOID VALVE 319 24V ø 10 mm
solenoid valve 90° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



ANGELO PO

MARENO

WHIRLPOOL 771985006285

GICO

WHIRLPOOL 148180

WHIRLPOOL 771985010440

JUNO-RÖDER-SENKING

WHIRLPOOL 771985001805

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



Suitable for:

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410





Suitable for:

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Solenoid valves



Suitable for:

3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%





Solenoid valves



Suitable for:

Suitable for:

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ALPENINOX 002753
ALPENINOX 055132
ANGELO PO 33D2310
CONVOTHERM 5001059
GICO 53943410240
HMI 314334
LOTUS 537012600
MODULAR 462.000.00
THIRODE 2001650H

ALPENINOX 047756
ALPENINOX 086014
BERTO'S 23116200
ERRE 2 53943410240
GIGA SD902390
LAINOX 50102860
MARENO MA2709000
MODULAR 462.010.00

ALPENINOX 048894
ANGELO PO 33D3260
BONNET 2001650H
FOINOX 0282
GIGA D240011
LAINOX R65110010
MARENO 2709000
REPAGAS 1230013

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833



Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120547 SOLENOID VALVE 329 220/240V ø 12 mm

solen.valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 12 mm
with green flow rate adjuster

for Convection oven electric (LAINOX) CES24M
CES40M - CE110M - CE210M - EC020M - EVO20M
PE005D - PE008D - PE015D - PE088D - VES24M
VES24X - VE106D - VE106H - VE106M - VE106P
VE106X - VE110D - VE110H - VE110M - VE110P
VE110X - VE210D - VE210H - VE210M - VE210P
VE210X

for Convection oven gas (LAINOX) CGS24M - CGS40M
CG110M - CG210M - GC010M - GC020M - GV010M
PG005D - PG008D - PG015D - PG088D - VGS24M
VGS24X - VG106D - VG106H - VG106M - VG106P
VG106X - VG110D - VG110H - VG110M - VG110P



LAINOX R65115040

3120505 SOLENOID VALVE 329 24V ø 10 mm

solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



ALPENINOX 058996

ELECTROLUX 058996

GICO LF-3120530

MBM LF-3120530

BAKE OFF 120800005

FAGOR LF-3120530

GIGA LF-3120530

WHIRLPOOL 771985003668

BEST FOR 120800005

FOINOX LF-3120530

LAINOX LF-3120530

ZANUSSI 058996

Solenoid valves



Suitable for:

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



Suitable for:

3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Solenoid valves



Suitable for:

3120006 SOLENOID VALVE 339 220/240V ø 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



ALPENINOX 055444

ALPENINOX 056872

ANGELO PO 33D0290

COVEN EMUA2RPE

ELECTROLUX 055444

ELECTROLUX 056872

JUNO-RÖDER-SENKING 55444

WHIRLPOOL 771985003415

WHIRLPOOL 771985003163

ZANUSSI 056872

ZANUSSI 055444

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120506 SOLENOID VALVE 339 24V ø 10 mm
solenoid valve 90° - 24V 50Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

Solenoid valves



Suitable for:

3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK





Suitable for:

3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Solenoid valves



Suitable for:

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Solenoid valves



Suitable for:

Suitable for:

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



ALPENINOX 0K5389
ALPENINOX 047536
ANGELO PO 33D1641
CONVOTHERM 5001080
FAGOR P255001000
GIGA D240003
LAINOX R65110040
MODULAR 462.002.00
SAMMIC 8100265

ALPENINOX 045631
ALPENINOX 069463
BARON BN3103610
EMMEPI 8C0145
FAGOR EU929172
INOXTREND C2087-00
LAINOX R65115000
REPAGAS 1240007

ALPENINOX 046427
ANGELO PO 33D3256
BERTO'S 23116900
EMMEPI 808922
FOINOX 1363
LAINOX 50102891
MBM RTFOC00203
ROSINOX RX94050168

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833



Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120507 SOLENOID VALVE 349 24V ø 10 mm

solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



ALPENINOX 046796

ALPENINOX 048180

ELECTROLUX 046796

ELECTROLUX 048180

ROSINOX RX94804671

WHIRLPOOL 771985001805

ZANUSSI 046796

ZANUSSI 048180

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



Suitable for:

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410





Suitable for:

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120008 SOLENOID VALVE 350 220/240V ø 14 mm
solenoid valve 90°- 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



ALPENINOX 047529
ALPENINOX 048898
ELECTROLUX 047532
ELECTROLUX 069179
ZANUSSI 047529
ZANUSSI 048898

ALPENINOX 047532
ALPENINOX 069179
ELECTROLUX 048178
SAMMIC 2304941
ZANUSSI 047532
ZANUSSI 069179

ALPENINOX 048178
ELECTROLUX 047529
ELECTROLUX 048898
WHIRLPOOL 483286008339
ZANUSSI 048178

Solenoid valves



Suitable for:

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



Suitable for:

3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%





Solenoid valves



Suitable for:

Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120511 SOLENOID VALVE 350 24V ø 14 mm

solenoid valve 90° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



ALPENINOX 0H2513

ALPENINOX 0L0175

ANGELO PO

ELECTROLUX 0H2513

ELECTROLUX 0L0175

GICO

JUNO-RÖDER-SENKING

MARENO

ZANUSSI 0H2513

ZANUSSI 0L0175

3120009 SOLENOID VALVE 351 220/240V ø 14 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



ALPENINOX 072282

ELECTROLUX 072282

EMMEPI 809566

FAGOR RT30020331

FRIMA 30020331

RATIONAL 30020331

ROSINOX RX94809282

ZANUSSI 072282

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN

for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410



Suitable for:

3120202 **OUTLET REDUCER ELBI 0.35 L/min YELLOW**
for solenoid valve ELBI
rated value +/- 25%



3120016 **OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 **OUTLET REDUCER ELBI 2.5 L/min ORANGE**
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 **OUTLET REDUCER ELBI 5.5 L/min BROWN**
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120512 **SOLENOID VALVE 351 24V ø 14 mm**
solenoid valve 180° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



ALPENINOX 0E5070
FOINOX
LAINOX

ELECTROLUX 0E5070
GICO
MBM

FAGOR
GIGA
ZANUSSI 0E5070

Solenoid valves



Suitable for:

3120015 **OUTLET REDUCER ELBI 0.5 L/min RED**
for solenoid valve ELBI
rated value +/- 25%



3120203 **OUTLET REDUCER ELBI 2 L/min WHITE**
for solenoid valve ELBI
rated value +/- 25%



3120201 **OUTLET REDUCER ELBI 4.7 L/min GREY**
for solenoid valve ELBI
rated value +/- 25%





Solenoid valves



Suitable for:

Suitable for:

3120010 SOLENOID VALVE 352 220/240V \varnothing 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 14 mm



ALPENINOX 049056
ELECTROLUX 049056
THIRODE 241754

BONNET 241754
ROSINOX RX94809795
WHIRLPOOL 483286008343

BONNET 241447
THIRODE 241447
ZANUSSI 049056

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

3120513 SOLENOID VALVE 352 24V ø 14 mm

solenoid valve 90° - 24V 50Hz - max 90°C
3/4" inlet - ø 14 mm outlet



3120011 SOLENOID VALVE 353 220/240V ø 14 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



ALPENINOX 069262

ELECTROLUX 072364

FRIMA 30020330

ZANUSSI 072364

ALPENINOX 072364

EMMEPI 809565

RATIONAL 30020330

ELECTROLUX 069262

FAGOR RT30020330

ZANUSSI 069262

3120021 INLET REDUCER 12 L/min BLACK



MODULAR 471.002.00

Solenoid valves



Suitable for:

3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK





Suitable for:

3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0L0166
MBM RTFOC00145

ELECTROLUX 0L0166
ZANUSSI 0L0166

MBM 172833

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



MBM RTFOC00120

MBM 172834

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALPENINOX 0W2908

ELECTROLUX 0W2908

ZANUSSI 0W2908

Solenoid valves



Suitable for:

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

Solenoid valves



3120514 SOLENOID VALVE 353 24V ø 14 mm
solenoid valve 180° - 24V 50Hz - max 90°C
inlet 3/4" - two outlets ø 14 mm



ALPENINOX OKZ810

ELECTROLUX OKZ810

ZANUSSI OKZ810

3120539 SOLENOID-VALVE RPE 230V ø 10 mm
solenoid valve 90° - 230V 50Hz - max 60°C
inlet 3/4" - outlet ø 10 mm
with red flow rate adjuster
for Convection oven (KELVIN)



KELVIN 0102001

KELVIN 0102001+0102011

3120125 SOLENOID-VALVE RPE 230V ø 3/4"MM
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4"MM - outlet 3/4"MM



3120124 SOLENOID-VALVE 220/240V ø 13 mm
solenoid valve 180° - 220/240V 50/60Hz - max 60°C
inlet 3/4" - threaded outlet ø 13 mm
for Convection oven electric (GIERRE) BRG400
BRG600 - BRIOMAXI - BRIOMIDI - FEV106M
FEV166M - FEV60M
for Convection oven gas (GIERRE) FEV57M - FEV61M
for Proving oven electric (GIERRE) LIEV12 - LIEV15



GIERRE VAL100

GIERRE YVAL100

3120282 SOLENOID-VALVE 230V ø 10 mm
solenoid valve 180° - 230V 50Hz - max 60°C
inlet 3/4" - two outlets ø 10 mm
with one red flow rate adjuster
for Convection oven electric (LAINOX) HME061P
HME061X - HME101P - HME101X - HME102P
HME102X - HME201P - HME201X - HME202P
HME202X
for Convection oven gas (LAINOX) HMG061P - HMG061X
HMG101P - HMG101X - HMG102P - HMG102X
HMG201P - HMG201X - HMG202P



LAINOX R65110210

3120283 SOLENOID-VALVE 230V ø 10 mm
solenoid valve 180° - 230V 50Hz - max 60°C
inlet 3/4" - two outlets ø 10 mm
with one red and one brown flow rate adjusters
for Convection oven electric (LAINOX) HME061P
HME061X - HME101P - HME101X - HME102P
HME102X
for Convection oven gas (LAINOX) HMG061P - HMG061X
HMG101P - HMG101X - HMG102P - HMG102X



LAINOX R65110230

3120284 SOLENOID-VALVE 230V ø 10 mm
solenoid valve 180° - 230V 50Hz - max 60°C
inlet 3/4" - three outlets ø 10 mm
for Convection oven electric (LAINOX) HME201P
HME201X - HME202P - HME202X
for Convection oven gas (LAINOX) HMG201P - HMG201X
HMG202P - HMG202X



LAINOX R65110240

3120542 SOLENOID-VALVE 230V ø 13 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - two outlets ø 13 mm
with flow rate adjuster
for Convection oven (CONVOTHERM)



CONVOTHERM 5001056

CONVOTHERM 5001057



Solenoid valves



Suitable for:

3120104 SOLENOID-VALVE 319 220/240V \varnothing 14 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14mm



ALPENINOX 048817
ELECTROLUX 048817
WHIRLPOOL 771985002009
ZANUSSI 049626

ALPENINOX 049626
ELECTROLUX 049626
WHIRLPOOL 148817
ZANUSSI 088194

ALPENINOX 088194
ELECTROLUX 088194
ZANUSSI 048817

Suitable for:

3120509 STEAM SOLENOID VALVE 3-WAYS 230V \varnothing 1/8"
coil 6628 EN series 688 230V 50Hz
pressure from 0.1 to 4.5 bar
max.temperature 150°C
for Convection oven electric (INOXTREND) FBA-106E
FBA-110E - FBA-210E - FBE-106E - FBE-110E
FBE-210E - FBP-106E - FBP-110E - FBP-210E
WBE-4E
for Convection oven gas (INOXTREND) FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FBE-210G - FBP-106G - FBP-110G - FBP-210G



INOXTREND C2072-00

ULKA 6628EN2,0SBIF

WHIRLPOOL 483286002414